

PRODUCT FEATURES

HYDRON HVI SERIES (HVI HYDRAULIC SERIES)

Hydro HVI base oils with high quality, wear, rust and corrosion inhibitors, viscosity index improving additives produced by the addition of high performance wide temperature range with high viscosity index oils.

Applications

Need to work in different climatic conditions all year round for all industrial and mobile equipment and vessels are recommended for hydraulic systems. In special industrial applications, business machines, presses, mobile construction equipment, plastic injection molding and extrusion machines, rotary screw air compressors takes place.

Technical Specifications

• filterability properties of hydraulic systems that require precise operating conditions can be easily used

• Different viscosity grades are produced each season using the appropriate viscosity oil provides the opportunity,

• decomposing the system rapidly removes water.,

• Oxidation, show high resistance to rust and corrosion, extending the life of machinery and equipment,

• Thanks to the long oil change intervals minimizes maintenance and labor costs.

<u>Performance</u> Denison HF-0, HF 1, HF 2 Cıncınnatı Mılc. P-68, P-69, P-70 DIN 51524 PART II Typical Properties	AFNOR NF E 48-603 CETOP RP91H Vickers I-286-S3, M-2950-S				
ISO	32	37	46	68	100
Density, 15 °C g/mL	0,872	0,872	0,872	0,877	0,889
Viscosity 40 °C, mm ² /s	32,8	37,2	46,3	68	100,6
Viscosity, 100 °C mm ² /s	6,96	7,14	8,37	12,93	15,58
Viscosity Index	142	142	143	142	142
Flash Point, °C	210	220	225	225	225
Pour Point, °C	-30	-30	-30	-30	-33
Corrosion Test 100 ° C-3saat	Yok	Yok	Yok	Yok	Yok
Acid number (mg KOH/gr)	0,8	0,8	0,8	0,8	0,8

PACKAGING

16 kg	TIN	Warnings and Suggestions
180 kg	DRUM	Waste oil, soil, water, sewer, and trash pour. Clean, solid and tightly sealed in
160 kg DKUW	DICOM	a container delivered to the nearest waste oil collection center please. Keep

away from children, avoid continuous and long-term contacts. If swallowed, do not induce vomiting by force, seek medical attention. Do not leave exposed to direct sunlight. Store in a closed area, Keep it away from damp and humid environments.